





Pinger Antibacterial Rigid Vinyl Wall Panel

1:20

Pinger Antibractical Rigid Vinyl Wall sheet

- Panel Specifications: 1.22X2.44mm&2.8mm&3.0mm (Height customizable)
- Thickness: 1.0mm/1.5mm/2.0mm/2.5mm/3.0mm
- Surface Patterns: C (Velvety), S (Natural Wood Grain), M (Large Weave), P (Leather), D (Classic Groove), G (Matte Mirror), B (Weave), A (Lotus Medium), H (Starlight), O (Basket Weave), T (Vertical Stripes)



Pinger Wallpanel Installed



Roller Pinger Wallpanel



Note: Start rolling with the roller in the middle, then roll up and down around, and discharge between the wall and the plate roll the gas two or three times.


- Color matching accessories (vinyl material/metal material): outside corner, capping strip, inside corner, join strip to create an-uninterrupted and seamless wall appearance.

ACESSORIES OF INSTALLATION

1. Aluminum Trim Pieces




- ① Outside Corner ② Top Capping Strip ③ Inside Corner ④ Join Strip




AT-O1




AT-T2



AT-I3




AT-J4




2. Pinger Vinyl Trim Pieces




- ① Outside Corner ② Top Capping Strip ③ Inside Corner ④ Join Strip




VT-O1



VT-T2



VT-I3




VT-J4

3. Solid Color Trim Pieces




- ① Outside Corner ② Top Capping Strip ③ Inside Corner ④ Join Strip




ST-O1



ST-T2



ST-I3



ST-J4